




湖南创一电子科技股份有限公司
CYGE ELECTRONIC TECHNOLOGY (HUNAN) CO.,LTD

Type : URT Cores



规格 Type	尺寸Dimensions (mm)						
	A	B	C	E	F	J	T
URT-14.5-5.00-14.50	14.50 ± 0.40	14.50 ± 0.40	5.00 ± 0.30	10.50 ± 0.40	5.34 ± 0.40	4.58 ± 0.30	-
URT-15.50-5.90-15.50	15.50max x	15.50max	5.90max	9.50min	4.34min	5.48max	-
URT-14.80-5.00-13.50	14.80 ± 0.30	13.50 ± 0.30	5.00 ± 0.30	11.20 ± 0.20	4.60 ± 0.20	4.45 ± 0.20	1.80 ± 0.20
URT-16.00-6.40-14.70	16.00max x	14.70max	6.40max	10.10min	3.40min	5.55max	2.90max
URT-14.80-5.00-15.10	14.80 ± 0.30	15.10 ± 0.30	5.00 ± 0.30	11.20 ± 0.20	6.20 ± 0.30	4.45 ± 0.20	1.80 ± 0.20
URT-16.0-6.40-16.30	16.00max x	16.30max	6.40max	10.10min	5.10min	5.55max	2.90max
URT-15.00-4.90-15.10	15.00 ± 0.30	15.10 ± 0.30	4.90 ± 0.20	11.20 ± 0.20	6.20 ± 0.30	-	-
URT-25.6-5.20-17.60	15.70max x	16.00max	5.50max	10.60min	5.50min	-	-
URT-15.20-5.10-15.20	15.20 ± 0.40	15.20 ± 0.40	5.10 ± 0.30	11.00 ± 0.40	5.90 ± 0.40	4.70 ± 0.30	2.00 ± 0.30
URT-16.20-6.00-16.20	16.20max x	16.20max	6.00max	10.00min	4.90min	5.60max	2.90max
URT-19.00-5.50-18.30	19.00 ± 0.40	18.30 ± 0.40	5.50 ± 0.20	14.00 ± 0.30	8.20 ± 0.30	-	2.50 ± 0.20
URT-20.40-6.30-19.30	20.40max x	19.30max	6.30max	13.10min	7.30min	-	3.30max
URT-24.00-6.00-17.50	24.00 ± 0.20	17.50 ± 0.20	6.00 ± 0.20	20.00 ± 0.20	6.50 ± 0.20	5.50 ± 0.20	2.00 ± 0.20
URT-24.80-6.80-18.30	24.80max x	18.30max	6.80max	19.20min	5.70min	6.30max	2.80max



湖南创一电子科技股份有限公司
CYGE ELECTRONIC TECHNOLOGY (HUNAN) CO.,LTD

规格 Type	尺寸Dimensions (mm)						
	A	B	C	E	F	J	T
URT-26.60-8.00-23.75	26.60 ± 0.50	23.75 ± 0.40	8.00 ± 0.20	20.00 ± 0.40	8.75 ± 0.20	7.50 ± 0.20	3.30 ± 0.20
URT-27.70-8.80-24.75	27.70max x	24.75max	8.80max	19.00min	7.95min	8.30max	4.10max
URT-28.00-6.50-20.00	28.00 ± 0.40	20.00 ± 0.30	6.50 ± 0.20	22.10 ± 0.35	8.00 ± 0.20	6.00 ± 0.20	3.00 ± 0.20
URT-29.00-7.30-20.90	29.00max x	20.90max	7.30max	21.15min	7.20min	6.80max	3.80max
URT-31.50-9.0-26.50	31.50 ± 0.40	26.50 ± 0.40	9.00 ± 0.30	24.50 ± 0.40	10.50 ± 0.30	8.00 ± 0.30	-
URT-32.50-9.9-27.50	32.50max x	27.50max	9.90max	23.50min	9.60min	8.90max	-
URT-43.0-6.80-19.20	43.00 ± 0.80	19.20 ± 0.40	6.80 ± 0.20	33.00 ± 0.60	7.00 ± 0.40	6.10 ± 0.25	-
URT-44.4-7.60-20.2	44.40max x	20.20max	7.60max	31.80min	6.00min	6.95max	-



湖南创一电子科技股份有限公司
CYGE ELECTRONIC TECHNOLOGY (HUNAN) CO.,LTD

规格 Type	磁芯参数					图号 Fig.
	C1(mm)	L(mm)	Ae	Vc(mm ³)	Wt(g/lot)	

URT	h ₁	L _c (mm)	A _c (mm ²)	v _c (mm)	w _c (g/sec)	Q ₁₀
URT-14.5-5.00-14.50	2.9	39.36	13.58	534.3	3.33	1
URT-15.50-5.90-15.50						
URT-14.80-5.00-13.50	3.06	37.68	12.32	464.2	3.4	1
URT-16.00-6.40-14.70						
URT-14.80-5.00-15.10	3.27	40.48	12.39	501.6	3.55	1
URT-16.0-6.40-16.30						
URT-15.00-4.90-15.10	3.3	41.49	12.57	521.66	3.45	1
URT-25.6-5.20-17.60						
URT-15.20-5.10-15.20	3.04	41.11	13.51	555.4	3.6	1
URT-16.20-6.00-16.20						
URT-19.00-5.50-18.30	3.04	53.75	17.67	949.76	5.4	1
URT-20.40-6.30-19.30						
URT-24.00-6.00-17.50	3.12	56.9	18.22	1036.72	7.51	1
URT-24.80-6.80-18.30						
URT-26.60-8.00-23.75	1.94	69.86	36.1	2522.02	15.63	1
URT-27.70-8.80-24.75						
URT-28.00-6.50-20.00	2.75	71.13	25.83	1836.97	10.39	1
URT-29.00-7.30-20.90						
URT-31.50-9.0-26.50	2.29	88.1	38.5	3365	21.78	1
URT-32.50-9.9-27.50						
URT-43.0-6.80-19.20	2.76	98.48	35.73	3518.69	16.65	2
URT-44.4-7.60-20.2						